


## NP 5597 (TT 6P-HC black)



Sketch of cross section (not actual size)

### Applications

- All-purpose machine tape/carrier belt
- **Printing industry special:**
  - Web folder, heatset & coldset
  - Compensating stacker (heat- & coldset)

### Advantages

- Abrasion-resistant fabric surface with excellent and consistent grip also vs. silicone, ink, paper dust)
- Excellent tracking and damping properties; no elongation
- No/low edge wear/fray
- Heat resistance up to 80 °C
- Electrostatic properties:
  - HC (highly conductive) class 1:
  - $R_{OA} < 5 \times 10^7 \Omega$   $R_D < 1 \times 10^7 \Omega$  acc. ISO21178

### Basic Technical Data

Top and drive face	
Coating	Polyamide fabric, impregnated
Texture	Fabric texture
Colour	Black
Tension member	
Tension member	Nylon sheet, single ply
Article-no.	855597
$d_{min}$ (mm)	24
Total thickness (mm)	1,0
$F_w$ value (N/mm width, $\epsilon=1\%$ ; $\beta=180^\circ$ )	approx. 6
Weight (kg/m <sup>2</sup> )	approx. 1,05 kg/m <sup>2</sup>
Splice	Wedge overlap splice

Product Quick Info 855597 · 12/08  
FMS · Reproduction of text or parts thereof only  
with our approval.  
Modifications reserved.

Forbo Siegling GmbH  
Lilienthalstraße 6/8, D-30179 Hannover  
Telefon +49 511 67 04 0, Fax +49 511 67 04 305  
www.forbo-siegling.com, siegling@forbo.com